



CHAÎNE A ROULEAUX SERIE AMERICAINE



Désignation	P mm	P inch	d_1	h_2 max	b_1 mini	d_2	b_4
25-1	6,35	1/4"	3,30	5,80	3,18	2,31	7,90
35-1	9,525	3/8"	5,08	8,65	4,77	3,58	12,40
40-1	12,7	1/2"	7,92	12,00	7,85	3,97	17,40
50-1	15,875	5/8"	10,16	15,00	9,40	5,08	20,20
60-1	19,05	3/4"	11,91	18,00	12,58	5,96	26,90
80-1	25,4	1"	15,87	24,10	15,75	7,94	33,50
100-1	31,75	1" 1/4	19,05	30,10	18,90	9,54	41,10
120-1	38,1	1" 1/2	22,22	36,20	25,40	11,10	49,90
140-1	44,45	1" 3/4	25,40	42,20	25,40	12,70	53,90
150-1	50,8	2"	28,58	48,20	31,75	14,27	63,90
200-1	63,5	2" 1/2	39,67	60,30	38,10	19,84	78,10




CHAÎNE A ROULEAUX SERIE AMERICAINE



Désignation	P mm	P inch	d1	h2 max	b1 mini	d2	Pt	b5
40-2	12,7	1/2"	7,92	12,00	7,85	3,97	14,38	30,60
50-2	15,875	5/8"	10,16	15,00	9,40	5,08	18,11	38,50
60-2	19,05	3/4"	11,91	18,00	12,58	5,96	22,78	49,70
80-2	25,4	1"	15,87	24,10	15,75	7,94	29,78	62,70
100-2	31,75	1" 1/4	19,05	30,10	18,90	9,54	35,76	75,70
120-2	38,1	1" 1/2	22,22	36,20	25,40	11,11	45,44	95,30
140-2	44,45	1" 3/4	25,40	42,20	25,40	12,70	48,87	102,80
160-2	50,8	2"	28,58	48,20	31,45	14,27	58,55	122,30
200-2	63,5	2" 1/2	39,67	60,30	38,10	19,84	71,55	149,50



CHAÎNE A ROULEAUX SERIE AMERICAINE



Désignation	P mm	P inch	d1	h2 max	b1 mini	d2	Pt	b6
40-3	12,7	1/2"	7,92	12,00	7,85	3,97	14,38	45,30
50-3	15,875	5/8"	10,16	15,00	9,40	5,08	18,11	56,80
60-3	19,05	3/4"	11,91	18,00	12,58	5,96	22,78	72,60
80-3	25,4	1"	15,87	24,10	15,75	7,94	29,78	91,90
100-3	31,75	1" 1/4	19,05	30,10	18,90	9,54	35,76	113,00
120-3	38,1	1" 1/2	22,22	36,20	25,40	11,11	45,44	141,70
140-3	44,45	1" 3/4	25,40	42,20	25,40	12,70	48,87	152,40
160-3	50,8	2"	28,58	48,20	31,75	14,27	58,55	182,90
200-3	63,5	2" 1/2	39,67	60,30	38,10	19,84	71,55	223,50